

# MATERIAL SAFETY DATA SHEET



Date Issued: 12/03/2004  
 MSDS No: 10110V  
 Date-Revised: 01/12/2010  
 Revision No: 6

## Power Cut Plus™

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Power Cut Plus™  
**PRODUCT DESCRIPTION:** Automotive Compound  
**PRODUCT CODE:** 110  
**PRODUCT FORMULATION NAME:** Power Cut Plus™  
**GENERIC NAME:** Compound

#### MANUFACTURER

Auto Wax - An ITW Company  
 Auto Magic®  
 1275 Round Table Drive  
 Dallas, TX 75247

**Product Stewardship:** 1-800-826-0828

**Transportation:** 1-800-826-0828

**Service Number:** 1-214-631-4000

Auto Wax - An ITW Company  
 Auto Magic®

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

### 2. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** Harmful if swallowed.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Moderately irritating to the eyes.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**INGESTION:** Harmful if swallowed.

**INHALATION:** Prolonged or excessive inhalation may cause respiratory tract irritation.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Eye contact may cause redness, tearing and a burning sensation.

**ACUTE TOXICITY:** May cause headaches and dizziness.

**CHRONIC EFFECTS:** not available

**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion

**TARGET ORGAN STATEMENT:** not established

**CANCER STATEMENT:** not established

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Mineral Spirits	10 - 15	64475-85-0
Distillates (petroleum) hydrotreated light	5 - 10	64742-47-8
Crystalline Silica	~ 25 - 40	1317-95-9

### 4. FIRST AID MEASURES

**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

**SKIN:** Wash with soap and water.

**INGESTION:** Do not induce vomiting. Seek medical attention immediately.

**INHALATION:** Move to fresh air

**5. FIRE FIGHTING MEASURES****FLASHPOINT AND METHOD:** ~ 40°C (104°F) TCC**FLAMMABLE LIMITS:** not available**AUTOIGNITION TEMPERATURE:****Notes:** not established**FLAMMABLE CLASS:** Material will not support combustion.**EXTINGUISHING MEDIA:** use foam, dry chemical or carbon dioxide extinguisher**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide**EXPLOSION HAZARDS:** not established**FIRE FIGHTING PROCEDURES:** not established**SENSITIVE TO STATIC DISCHARGE:** none expected**SENSITIVITY TO IMPACT:** none expected**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Contain and collect with absorbent**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Keep out of reach of Children.**STORAGE TEMPERATURE:** 4°C (40°F) Minimum to 35°C (95°F) Maximum**SHELF LIFE:** one year**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		SupplierOEL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Mineral Spirits	TWA	100 ppm		100 ppm		200 ppm	
Distillates (petroleum) hydrotreated light	TWA					300 ppm	2300 mg/m <sup>3</sup>

**ENGINEERING CONTROLS:** Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Wear safety glasses with side shields or goggles.**SKIN:** Use Nitrile/ Vinyl gloves**RESPIRATORY:** NIOSH respirator -(organic vapor) in absence of proper environmental control.**PROTECTIVE CLOTHING:** Clean, body-covering clothing**9. PHYSICAL AND CHEMICAL PROPERTIES**

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
Distillates (petroleum) hydrotreated light	81	218	0.79

**PHYSICAL STATE:** Liquid**ODOR:** hydrocarbon odor**APPEARANCE:** Brown Liquid**pH:** 9.0 to 10.0

**PERCENT VOLATILE:** Not Available  
**VAPOR PRESSURE:** Not Available  
**VAPOR DENSITY:** Not Available  
**FREEZING POINT:** ~ (32°F)  
**FLASHPOINT AND METHOD:** ~ 40°C (104°F) TCC  
**SOLUBILITY IN WATER:** Will mix with water  
**SPECIFIC GRAVITY:** > 1.200 at 25°C  
**VISCOSITY #1:** > 100 KU at 25°C  
**(VOC):** < 17.000 % by weight

## 10. STABILITY AND REACTIVITY

**STABLE:** Yes  
**HAZARDOUS POLYMERIZATION:** No

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)
Distillates (petroleum) hydrotreated light	> 5 g/Kg-rat	> 3.16 g/kg - rabbit

### CARCINOGENICITY

**IARC:** Listed by IARC- yes  
**SENSITIZATION:** not available

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** not available  
**ECOTOXICOLOGICAL INFORMATION:** not available

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.

## 14. TRANSPORT INFORMATION

### DOT (DEPARTMENT OF TRANSPORTATION)

**OTHER SHIPPING INFORMATION:** Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

## 15. REGULATORY INFORMATION

### UNITED STATES

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA REGULATORY:** All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

**CALIFORNIA PROPOSITION 65:** Warning: This product contains crystalline silica; a chemical known to the state of California to cause cancer

### CANADA

#### WHMIS HAZARD SYMBOL AND CLASSIFICATION




Flammable Liquid



Toxic

**16. OTHER INFORMATION****PREPARED BY:** Mark Dean**REVISION SUMMARY:** Revision #: 6. This MSDS replaces the January 12, 2010 MSDS.**HMIS RATING**

<b>HEALTH:</b>	-	1
<b>FLAMMABILITY:</b>		2
<b>PHYSICAL HAZARD:</b>		0
<b>PERSONAL PROTECTION:</b>		

**NFPA CODES**

**MANUFACTURER DISCLAIMER:** The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.