

MATERIAL SAFETY DATA SHEET

According to 29 CFR 1910.1200(g)



Date Issued: 11/17/2009
 MSDS No: 90
 Date-Revised: 11/17/2009
 Revision No: 1

1. PRODUCT AND COMPANY IDENTIFICATION

GENERAL USE: Automotive reconditioning product
PRODUCT DESCRIPTION: Auto Polish
PRODUCT FORMULATION NAME: XP Swirl Remover
GENERIC NAME: Car Polish

MANUFACTURER

Auto Wax - An ITW Company
 Body Magic
 1275 Round Table Drive
 Dallas, TX 75247

Product Stewardship: 1-(800)-826-0828**Transportation:** 1-(800)-826-0828**Service Number:** 1-(214)-631-4000**24 HR. EMERGENCY TELEPHONE NUMBERS**

1-800-826-0828

2. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW****IMMEDIATE CONCERNS:** Harmful if swallowed.**POTENTIAL HEALTH EFFECTS****EYES:** May be irritating to the eyes.**SKIN:** May cause slight irritation.**INGESTION:** Harmful if swallowed.**INHALATION:** No hazard in normal industrial use.**SIGNS AND SYMPTOMS OF OVEREXPOSURE****EYES:** Eye contact may cause redness, tearing and a burning sensation.**INGESTION:** Ingestion may cause nausea and irritation.**CHRONIC EFFECTS:** not available**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion**TARGET ORGAN STATEMENT:** not available**CANCER STATEMENT:** not available**IRRITANCY:** not available**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	Wt. %	CAS
Distillates (petroleum) hydrotreated light	5 - 10	64742-47-8
Odorless Mineral Spirits	10 - 15	64742-48-9

4. FIRST AID MEASURES**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.**SKIN:** Wash with soap and water.**INGESTION:** Do not induce vomiting. Seek medical attention immediately.**INHALATION:** Move to fresh air**5. FIRE FIGHTING MEASURES****FLASHPOINT AND METHOD:** ~ 49°C (120°F) TCC**AUTOIGNITION TEMPERATURE:** Not Available

FLAMMABLE CLASS: Material will not support combustion.

EXTINGUISHING MEDIA: use water, foam, dry chemical or carbon dioxide extinguisher

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide and Carbon Dioxide

EXPLOSION HAZARDS: not available

SENSITIVE TO STATIC DISCHARGE: none

SENSITIVITY TO IMPACT: none

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain and collect with absorbent

LARGE SPILL: LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep out of reach of Children.

STORAGE: Do not allow to freeze

STORAGE TEMPERATURE: (35°F) Minimum to (95°F) Maximum

SHELF LIFE: one year

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
			EXPOSURE LIMITS	
			Supplier OEL	
Chemical Name			ppm	mg/m ³
Distillates (petroleum) hydrotreated light	TWA		300 ppm	2300 mg/m ³
Odorless Mineral Spirits	TWA		300 ppm	1900 mg/m ³

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields or goggles.

SKIN: Use Nitrile/ Vinyl gloves

RESPIRATORY: NIOSH respirator - in absence of proper environmental controls.

PROTECTIVE CLOTHING: Clean, body-covering clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
Distillates (petroleum) hydrotreated light	81	218	0.79
Odorless Mineral Spirits	49	178	0.76

PHYSICAL STATE: Liquid

ODOR: Characteristic

APPEARANCE: Green

pH: ~ 8 to 9

VAPOR PRESSURE: Not Available

VAPOR DENSITY: Not Available

FREEZING POINT: ~ 0°C (32°F)

FLASHPOINT AND METHOD: ~ 49°C (120°F) TCC

SOLUBILITY IN WATER: Will mix with water

SPECIFIC GRAVITY: ~ 0.900 gm/ml

VISCOSITY: Not Available

(VOC): < 15.000 % by weight

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

CONDITIONS TO AVOID: Avoid high temperatures.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)
Distillates (petroleum) hydrotreated light	> 5 g/Kg-rat	> 3.16 g/kg - rabbit

NOTES: not available

CHRONIC: not available

CARCINOGENICITY

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

SENSITIZATION: not available

NEUROTOXICITY: not available

REPRODUCTIVE EFFECTS: not available

TARGET ORGANS: not available

MUTAGENICITY: not available

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available

ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Hydrocarbons, liquid, n.o.s.

TECHNICAL NAME: isononanes, nonanes

PRIMARY HAZARD CLASS/DIVISION: 3

UN/NA NUMBER: UN3295

PACKING GROUP: III

NAERG: 128

OTHER SHIPPING INFORMATION: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

CANADA**WHMIS HAZARD SYMBOL AND CLASSIFICATION**

Combustible Liquid




Toxic

16. OTHER INFORMATION**PREPARED BY:** Tony Casmus

REVISION SUMMARY: Revision #: 1. This MSDS replaces the November 17, 2009 MSDS. Any changes in information are as follows: In Section 14: DOT Proper Shipping Name, DOT Technical Name, DOT Primary Hazard Class/Division, DOT UN/NA Number, DOT Packing Group, DOT Emergency Response Guide

HMIS RATING

HEALTH:	1
FLAMMABILITY:	2
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA CODES

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.