Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55 Revision Date: 08-19-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

Automotive detailing

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

1275 Round Table Drive

Dallas, TX 75247

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

GHS Signal Word: Warning

GHS Hazard Statements: May cause drowsiness or dizziness.

GHS Precautionary Statements:

Safety Precautions: Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

First Aid Measures: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55 Revision Date: 08-19-2016

Replaces:

Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients			
Chemical Component:	CAS number and other	% (or range) of ingredient	
	unique identifiers	% (or range) or ingredient	
Hyrotreated Heavy Naphthe	68551-16-6	40 - 70	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Use an eye wash to remove a chemical from your eye regardless of

the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Seek medical advice after flushing.

Skin Contact: Wash with soap and water.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms

develop, as a precautionary measure.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek

medical attention if symptoms develop. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important

No data available

symptoms/effects (Acute):

Most important No data available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

No additional first aid information available

needed, if necessary:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55 Revision Date: 08-19-2016

Replaces:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Material may be ignited only if preheated to temperatures above

Hazards: the high flash point, for example in a fire. Material will burn in a

fire.

Hazardous Combustion

Products:

Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide

Special protective equipment

and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Use

methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:

No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section VIII of this MSDS.

Methods and materials for No special spill clean-up considerations. Collect and discard in

containment and cleaning up: regular trash.

7. Handling and storage

Precautions for safe handling: No special handling instructions due to toxicity. As with all

chemicals, good industrial hygiene practices should be followed

when handling this material.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Strong acids Strong alkalies

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	
No data available	No data available	No data available	No data available	

Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55 **Revision Date:** 08-19-2016

Replaces:

Appropriate engineering

controls:

No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other

engineering controls to control airborne levels below

recommended exposure limits

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear safety glasses when handling this product. Wear goggles and

a Face shield

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where use can result in skin contact, practice good personal hygiene. Use of protective coveralls and

long sleeves is recommended.

Respiratory Protection: No respiratory protection required under normal conditions of use.

Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place

conditions warrant the use of a respirator.

Other Protective Equipment: Wear goggles and a Face shield Where use can result in skin

contact, practice good personal hygiene. Use of protective coveralls

and long sleeves is recommended.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid

Color: No data available Odor: No data available Odor threshold: No data available :Ha No data available Melting Point/Freezing Point (°C): No data available Initial Boiling Point and Boiling Range (°C): No data available Flash Point (°C): No data available **Evaporation Rate:** No data available No data available Flammability (solid, gas):

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%):
Lower Flammable/Explosive Limit (%):
No data available
Not determined
No data available

Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55 Revision Date: 08-19-2016

Replaces:

Partition coefficient: n-octanol/water:No data availableAuto-ignition Temperature (°C):No data availableDecomposition Temperature:No data availableViscosity:No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous

reactions:

No data available

Conditions to avoid (e.g., static discharge, shock, or vibration):Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources

of ignition. Contamination

Incompatible materials: Strong oxidizing agents Strong acids Strong alkalies

Hazardous decomposition

products:

Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide

11. Toxicological information

Information on the likely routes

of exposure (inhalation,

Inhalation, Ingestion, Skin contact, Eye contact

ingestion, skin and eye contact):

Symptoms related to the physical, chemical and toxicological characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:No hazard in normal industrial use.
Skin Contact:
No hazard in normal industrial use.

Skin Absorption: No absorption hazard in normal industrial use. **Eye Contact:** Can cause minor irritation, tearing and reddening.

Ingestion Irritation: No hazard in normal industrial use.

Ingestion Toxicity:

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.

Page **5** of **7**

Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55 Revision Date: 08-19-2016

Replaces:

Skin Contact: Unlikely to cause irritation even on repeated contact.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No data available	N	N	Ν	

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability: No data available

Bioaccumulative potential:

No data

Mobility in soil:
Other adverse effects (such as

No data available No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Ecological Toxicity Data	cological Toxicity Data			
Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish	
No data available				

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is non-hazardous according to

environmental regulations.

Waste treatment methods

(including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

14. Transport information

UN number: No data available UN proper shipping name: Not Regulated

Product Name: VOC VINYL COATING 55 GAL

Product identifier: 38-55 Revision Date: 08-19-2016

Replaces:

Transport hazard class(es): No data available Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available		N	N	Ν	N

16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016

Revision Number: 9

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances