

Safety Data Sheet

Product Name: XP-COOL BLUE 55 GAL

Product identifier: 60-55

Revision Date: 12-14-2015

Replaces:



1. Identification

Product Name: XP-COOL BLUE 55 GAL
Product identifier: 60-55
Relevant identified uses of the substance or mixture and uses advised against: Automotive reconditioning product

Other means of identification

Chemical Manufacturer / Importer / Distributor: ITW Evercoat
a division of Illinois Tool Works Inc.
1275 Round Table Drive
Dallas, TX 75247

Emergency telephone number: CHEMTREC: 1-800-424-9300
CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Not classified as hazardous under GHS

Hazards not otherwise classified: MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
No Hazardous Ingredients		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Safety Data Sheet

Product Name: XP-COOL BLUE 55 GAL

Product identifier: 60-55

Revision Date: 12-14-2015

Replaces:

4. First-aid measures

Eye Contact:	Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eye with water for 20 minutes. Get medical attention. Seek immediate medical attention.
Skin Contact:	Wash with soap and water. Wash affected area thoroughly with soap and water.
Inhalation:	This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure. If inhaled, remove victim from exposure to a well-ventilated area.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Call a physician or poison control center immediately.
Immediate medical attention and special treatment needed,:	No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid. Water spray Alcohol foam Dry chemical Carbon dioxide
Unsuitable extinguishing media:	No data available
Fire and/or Explosion Hazards:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide
Special protective equipment and precautions for fire-fighters:	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section VIII of this MSDS.
Methods and material for	No special spill clean-up considerations. Collect and discard in

Safety Data Sheet

Product Name: XP-COOL BLUE 55 GAL

Product identifier: 60-55

Revision Date: 12-14-2015

Replaces:

containment and cleaning up: regular trash. SMALL SPILL: Contain and collect with absorbent. LARGE SPILLS: Shut off leak if safe to do so. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Prevent spilled material from contaminating soil, entering sanitary sewers, storm sewers, and drainage systems, and entering bodies of water or ditches that lead to waterways.

7. Handling and storage

Precautions for safe handling: No special handling instructions due to toxicity. Keep out of the reach of children.

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. STORAGE TEMPERATURE: 0°C (32°F) Minimum to 50°C (122°F) Maximum. Shelf life is one year.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Strong acids Strong alkalies

8. Exposure controls/personal protection

Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available			

Appropriate engineering controls: No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

Eye Protection: Wear safety glasses when handling this product. Safety Glasses or goggles with splash guards or side shields.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Use Nitrile/ Vinyl gloves

Respiratory Protection: No respiratory protection required under normal conditions of use. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

Other Protective Equipment: Safety Glasses or goggles with splash guards or side shields. Use Nitrile/ Vinyl gloves

General Hygiene Conditions: Keep out of the reach of children.

Safety Data Sheet

Product Name: XP-COOL BLUE 55 GAL

Product identifier: 60-55

Revision Date: 12-14-2015

Replaces:

9. Physical and chemical properties

Appearance (physical state):	Liquid
Color:	Blue
Odor:	Fruity
Odor threshold:	No data available
pH:	~ 6 to 9
Melting Point/Freezing Point (°C):	No data available
Initial Boiling Point and Boiling Range (°C):	100
Flash Point (°C):	210
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper Flammable/Explosive Limit:	No data available
Lower Flammable/Explosive Limit:	No data available
Vapor Pressure:	17.5 MMHG@20C/68F
Vapor Density:	No data available
Relative Density:	1
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition Temperature (°C):	No data available
Decomposition Temperature::	No data available
Viscosity:	No data available

10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Conditions to avoid:	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Contamination.
Incompatible materials:	Strong oxidizing agents Strong acids Strong alkalis
Hazardous decomposition products:	Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide

11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and eye contact):	Skin contact, Eye contact, Ingestion
--------------------------------------------------------------------------	--------------------------------------

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	No hazard in normal industrial use. Harmful if inhaled.
Skin Contact:	No hazard in normal industrial use.
Skin Absorption:	No absorption hazard in normal industrial use. Causes skin irritation.

Safety Data Sheet

Product Name: XP-COOL BLUE 55 GAL

Product identifier: 60-55

Revision Date: 12-14-2015

Replaces:

Eye Contact: Can cause minor irritation, tearing and reddening. Can cause irritation.
Ingestion Irritation: No hazard in normal industrial use. Irritating to mouth, throat, and stomach.
Ingestion Toxicity:

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive and Developmental Toxicity: No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.
Skin Contact: Unlikely to cause irritation even on repeated contact.
Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): This material is not expected to be harmful to the ecology.
Persistence and degradability: No data available
Mobility in soil: No data available
Other adverse effects (such as hazardous to the ozone layer): No data available

Données sur l'écotoxicité

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues: Spent or discarded material is non-hazardous according to environmental regulations.
Safe Handling of Waste: Disposal must be in accordance with applicable Federal, State/Provincial and Local regulations.

Safety Data Sheet

Product Name: XP-COOL BLUE 55 GAL

Product identifier: 60-55

Revision Date: 12-14-2015

Replaces:

Waste treatment methods (including packaging): Dispose of in a landfill. Disposal is not likely to be regulated.

14. Transport information

UN number: No data available
UN proper shipping name: Not Regulated
Transport hazard class(es): No data available
Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Statut TSCA: All chemicals in this product are listed, or are exempt from listing on the TSCA Inventory.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

16. Other information, including date of preparation or last revision.

Revision Date: 12-14-2015
Revision Number: 7

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances