

# Safety Data Sheet

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Revision Date: 08-19-2016

Replaces:



## 1. Identification

Product identifier used on the label:

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on use: Automotive reconditioning product

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer /  
Importer / Distributor: ITW Evercoat  
a division of Illinois Tool Works Inc.  
1275 Round Table Drive  
Dallas, TX 75247

Emergency phone number: CHEMTREC: 1-800-424-9300  
CANUTEC: 1-613-996-6666

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification: Not classified as hazardous under GHS

GHS Hazard Statements: No hazard statements required

Hazards not otherwise classified: MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

## 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
No Hazardous Ingredients		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# Safety Data Sheet

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Revision Date: 08-19-2016

Replaces:

## 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Eye Contact:** Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eye with water for 20 minutes. Get medical attention. Seek immediate medical attention.

**Skin Contact:** Wash with soap and water. Wash affected area thoroughly with soap and water.

**Inhalation:** This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure. If inhaled, remove victim from exposure to a well-ventilated area.

**Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. If swallowed, induce vomiting. Seek immediate medical attention.

**Most important symptoms/effects, acute and delayed:**

**Most important symptoms/effects (Acute):** No data available

**Most important symptoms/effects (Delayed):** No data available

**Indication of immediate medical attention and special treatment needed, if necessary:** No additional first aid information available

## 5. Fire-fighting measures

**Suitable (and unsuitable) extinguishing media:**

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid. Water spray Alcohol foam Dry chemical Carbon dioxide

**Unsuitable extinguishing media:** No data available

**Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):**

**Fire and/or Explosion** Material may be ignited only if preheated to temperatures above

# Safety Data Sheet

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Revision Date: 08-19-2016

Replaces:

**Hazards:** the high flash point, for example in a fire.  
**Hazardous Combustion Products:** Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide  
**Special protective equipment and precautions for fire-fighters:** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

## 6. Accidental release measures

**Personal precautions, protective equipment, and emergency procedures:** No adverse health effects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section VIII of this MSDS.  
**Methods and materials for containment and cleaning up:** No special spill clean-up considerations. Collect and discard in regular trash. **SMALL SPILL:** Contain and collect with absorbent. **LARGE SPILLS:** Shut off leak if safe to do so. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Prevent spilled material from contaminating soil, entering sanitary sewers, storm sewers, and drainage systems, and entering bodies of water or ditches that lead to waterways.

## 7. Handling and storage

**Precautions for safe handling:** No special handling instructions due to toxicity. Keep out of the reach of children.  
**Conditions for safe storage, including any incompatibilities**  
**Conditions for safe storage:** Store in a cool dry place. Isolate from incompatible materials. **STORAGE TEMPERATURE:** 0°C (32°F) Minimum to 50°C (122°F) Maximum. Shelf life is one year.  
**Materials to Avoid/Chemical Incompatibility:** Strong oxidizing agents Strong acids Strong alkalis

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available	No data available	No data available	No data available

**Appropriate engineering controls:** No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

# Safety Data Sheet

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Revision Date: 08-19-2016

Replaces:

## Individual protection measures, such as personal protective equipment:

<b>Eye Protection:</b>	Wear safety glasses when handling this product. Safety Glasses or goggles with splash guards or side shields.
<b>Skin Protection:</b>	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Use Nitrile/ Vinyl gloves
<b>Respiratory Protection:</b>	No respiratory protection required under normal conditions of use. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.
<b>Other Protective Equipment:</b>	Safety Glasses or goggles with splash guards or side shields. Use Nitrile/ Vinyl gloves

## 9. Physical and chemical properties

### Appearance (physical state, color, etc.):

<b>Appearance (physical state):</b>	Liquid
<b>Color:</b>	White
<b>Odor:</b>	No respiratory protection is ordinarily required under normal conditions of use.
<b>Odor threshold:</b>	No data available
<b>pH:</b>	~ 7 to 9
<b>Melting Point/Freezing Point (°C):</b>	No data available
<b>Initial Boiling Point and Boiling Range (°C):</b>	100
<b>Flash Point (°C):</b>	No data available
<b>Evaporation Rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper/lower flammability or explosive limits:</b>	
<b>Upper Flammable/Explosive Limit (%):</b>	No data available
<b>Lower Flammable/Explosive Limit (%):</b>	No data available
<b>Vapor Pressure:</b>	No data available
<b>Vapor Density:</b>	No data available
<b>Relative Density:</b>	1
<b>Solubility(ies):</b>	No data available
<b>Partition coefficient: n-octanol/water:</b>	No data available
<b>Auto-ignition Temperature (°C):</b>	No data available
<b>Decomposition Temperature:</b>	No data available
<b>Viscosity:</b>	No data available

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available
<b>Chemical stability:</b>	Stable under normal conditions.

# Safety Data Sheet

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Revision Date: 08-19-2016

Replaces:

<b>Possibility of hazardous reactions:</b>	No data available
<b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b>	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Contamination
<b>Incompatible materials:</b>	Strong oxidizing agents Strong acids Strong alkalis
<b>Hazardous decomposition products:</b>	Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide

## 11. Toxicological information

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Skin contact, Eye contact, Ingestion

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**Immediate (Acute) Health Effects by Route of Exposure:**

**Inhalation Irritation:** No hazard in normal industrial use. Harmful if inhaled.  
**Skin Contact:** No hazard in normal industrial use.  
**Skin Absorption:** No absorption hazard in normal industrial use. Causes skin irritation.  
**Eye Contact:** Can cause minor irritation, tearing and reddening. Can cause irritation.  
**Ingestion Irritation:** No hazard in normal industrial use. Irritating to mouth, throat, and stomach.  
**Ingestion Toxicity:**

**Long-Term (Chronic) Health Effects:**

**Carcinogenicity:** None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.  
**Reproductive and Developmental Toxicity:** No data available to indicate product or any components present at greater than 0.1% may cause birth defects.  
**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.  
**Inhalation:** Upon prolonged and/or repeated exposure, no hazard in normal industrial use.  
**Skin Contact:** Unlikely to cause irritation even on repeated contact.  
**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Numerical measures of toxicity (such as acute toxicity estimates)**

**Component Toxicology Data**

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

# Safety Data Sheet

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Revision Date: 08-19-2016

Replaces:

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available	N	N	N

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** This material is not expected to be harmful to the ecology.  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data  
**Mobility in soil:** No data available  
**Other adverse effects (such as hazardous to the ozone layer):** No data available

### Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

## 13. Disposal considerations

**Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging**

**Description of waste residues:** Spent or discarded material is non-hazardous according to environmental regulations.

**Safe Handling of Waste:** Disposal must be in accordance with applicable Federal, State/Provincial and Local regulations.

**Waste treatment methods (including packaging):** Dispose of in a landfill. Disposal is not likely to be regulated.

## 14. Transport information

**UN number:** No data available

**UN proper shipping name:** Not Regulated

**Transport hazard class(es):** No data available

**Packing group:** No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

# Safety Data Sheet

Product Name: UNIVERSAL DRESSING 55 GAL

Product identifier: 62-55

Revision Date: 08-19-2016

Replaces:

## 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

**TSCA Status:** All chemicals in this product are listed, or are exempt from listing on the TSCA Inventory.

### Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available		N	N	N	N

## 16. Other information, including date of preparation or last revision.

**Revision Date:** 08-19-2016

**Revision Number:** 9

**Disclaimer:** NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances