

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

Auto Magic
Professional Car Care®

1. Identification

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77
Product identifier: 77
Relevant identified uses of the substance or mixture and uses advised against: Automotive reconditioning product

Other means of identification

Chemical Manufacturer / Importer / Distributor: ITW Evercoat
a division of Illinois Tool Works Inc.
1275 Round Table Drive
Dallas, TX 75247

Emergency telephone number: CHEMTREC: 1-800-424-9300
CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard
Symbols:



GHS Classification: Germ Cell Mutagenicity Category 1B
Carcinogenicity Category 1B
Flammable Liquid Category 3

GHS Signal Word: Danger

GHS Hazard Statements: Flammable liquid and vapour.
May cause genetic defects..
May cause cancer.

GHS Precautionary Statements:

Safety Precautions: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use only non-sparking tools.

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

First Aid Measures:	Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Get medical advice/attention. In case of fire: Use for extinction.
Storage:	Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.
Hazards not otherwise classified:	MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Solvent Naphtha (petroleum), light Aliphatic	64742-89-8	10 - 30
Distillates (Petroleum), Hydrotreated Heavy Naphtha	64742-52-5	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Eye Contact:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Flush eyes gently with water for at least 15 minutes, lifting upper & lower eye lids. Seek medical advice if symptoms persist
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. Wash affected area thoroughly with soap and water.
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. If inhaled, remove victim from exposure to a well-ventilated area.
Ingestion:	Do not induce vomiting and seek medical attention immediately.

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

Most important symptoms/effects (Delayed:	Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Do not induce vomiting unless directed to do so by medical personnel. Call a physician or poison control center immediately.
Immediate medical attention and special treatment needed,:	Redness and itching or burning sensation may indicate eye or excessive skin exposure. Ingestion may cause nausea and irritation. No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Water spray Alcohol foam Dry chemical Carbon dioxide
Unsuitable extinguishing media:	No data available
Fire and/or Explosion Hazards:	Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Material will not burn.
Hazardous Combustion Products:	Carbon monoxide, Carbon dioxide
Special protective equipment and precautions for fire-fighters:	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.
Methods and material for containment and cleaning up:	No special spill clean-up considerations. Collect and discard in regular trash. SMALL SPILL: Contain and collect with absorbent. LARGE SPILLS: Shut off leak if safe to do so. Use an inert absorbent

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

such as sand or vermiculite. Place in properly labeled closed container. Prevent spilled material from contaminating soil, entering sanitary sewers, storm sewers, and drainage systems, and entering bodies of water or ditches that lead to waterways.

7. Handling and storage

- Precautions for safe handling:** Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Keep out of the reach of children.
- Conditions for safe storage:** Store in a cool dry place. Isolate from incompatible materials. Keep from freezing, STORAGE TEMPERATURE: 32°F Minimum to 95°F Maximum. Shelf life is one year.
- Materials to Avoid/Chemical Incompatibility::** Strong oxidizing agents

8. Exposure controls/personal protection

Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available			

- Appropriate engineering controls.:** No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.
- Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. Safety Glasses or goggles with splash guards or side shields.
- Skin Protection:** Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Use Nitrile/Vinyl gloves
- Respiratory Protection:** Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

Other Protective Equipment: NIOSH respirator -(organic vapor) in absence of proper environmental control.
Safety Glasses or goggles with splash guards or side shields. Use Nitrile/ Vinyl gloves

General Hygiene Conditions: Keep out of the reach of children.

9. Physical and chemical properties

Appearance (physical state): Liquid
Color: Light Blue
Odor: Banana
Odor threshold: No data available
pH: ~ 7 to 9
Melting Point/Freezing Point (°C): No data available
Initial Boiling Point and Boiling Range (°C): 100
Flash Point (°C): 40
Evaporation Rate: No data available
Flammability (solid, gas): No data available
Upper Flammable/Explosive Limit: No data available
Lower Flammable/Explosive Limit: No data available
Vapor Pressure: 17.5 MMHG@20C/68F
Vapor Density: No data available
Relative Density: 0.92
Solubility(ies): Will mix with water
Partition coefficient: n-octanol/water: 1.60
Auto-ignition Temperature (°C): No data available
Decomposition Temperature:: No data available
Viscosity: No data available

10. Stability and reactivity

Reactivity: No data available
Chemical stability: Stable under normal conditions.
Conditions to avoid: None known. High temperatures.
Incompatible materials: Strong oxidizing agents
Hazardous decomposition products: Carbon dioxide Carbon monoxide

11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and eye contact): Skin contact, Eye contact, Ingestion

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

Immediate (Acute) Health Effects by Route of Exposure:

- Inhalation Irritation:** Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache. No hazard in normal industrial use.
- Inhalation Toxicity:** Toxic! Can cause systemic damage (see "Target Organs). Respiratory failure is possible at high doses.
- Skin Contact:** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
- Skin Absorption:** Causes skin irritation.
- Eye Contact:** Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible. Can cause irritation.
- Ingestion Irritation:** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Harmful if swallowed.
- Ingestion Toxicity:** Toxic if swallowed. May cause target organ failure and/or death.

Long-Term (Chronic) Health Effects:

- Carcinogenicity:** May cause cancer.
- Reproductive and Developmental Toxicity:** No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
- Mutagenicity:** May cause genetic defects..
- Inhalation:** Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache. Toxic! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs).
- Skin Contact:** Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

12. Ecological information

- Ecotoxicity (aquatic and terrestrial, where available):** This material is not expected to be harmful to the ecology.
- Persistence and degradability:** No data available
- Mobility in soil:** No data available
- Other adverse effects (such as** No data available

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

hazardous to the ozone layer):

Données sur l'écotoxicité

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues: Spent or discarded material is a hazardous waste.
Safe Handling of Waste: Disposal must be in accordance with applicable Federal, State/Provincial and Local regulations.
Waste treatment methods (including packaging): Dispose of by incineration following Federal, State, Local, or Provincial regulations.
Waste Disposal Code(s): D001

14. Transport information

UN number: No data available
UN proper shipping name: Not Regulated
Transport hazard class(es): No data available
Packing group: No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Statut TSCA: All chemicals in this product are listed, or are exempt from listing on the TSCA Inventory.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

16. Other information, including date of preparation or last revision.

Revision Date: 12-14-2015
Revision Number: 6

Safety Data Sheet

Product Name: BC-1 BASE/CLEARCOAT CLNR. - 77

Product identifier: 77

Revision Date: 12-14-2015

Replaces:

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances