

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

# Auto Magic

Professional Car Care<sup>®</sup>

## 1. Identification

Product identifier used on the label:

Product Name: **XP MAGIC CUT 320Z**

Product identifier: 99-QT

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on use: Automotive Rubbing Compound

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer /  
Importer / Distributor: ITW Evercoat  
a division of Illinois Tool Works Inc.  
1275 Round Table Drive  
Dallas, TX 75247

Emergency phone number: CHEMTREC: 1-800-424-9300  
CANUTEC: 1-613-996-6666

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard  
Symbols:



GHS Classification: Carcinogenicity Category 1B  
Skin Corrosion/Irritation Category 2  
Serious Eye Damage/Eye Irritation Category 2A  
Flammable Liquid Category 4

GHS Signal Word: Danger  
GHS Hazard Statements: Combustible Liquid  
Causes skin irritation.  
Causes serious eye irritation.  
May cause cancer.

GHS Precautionary Statements:

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

<b>Safety Precautions:</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
<b>First Aid Measures:</b>	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
<b>Storage:</b>	Store in a well-ventilated place. Keep cool. Store locked up.
<b>Disposal:</b>	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.
<b>Hazards not otherwise classified:</b>	MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

### 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
2-propanol-1-butoxy ether	5131-66-8	1 - 5
Monoethanolamine	141-43-5	0.5 - 1.5
Distillates (Petroleum), Hydrotreated Heavy Naphtha	64742-52-5	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

<b>Eye Contact:</b>	Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eye with water for 20 minutes. Get medical attention. Seek medical advice if symptoms persist
<b>Skin Contact:</b>	Wash with soap and water. Get medical attention if irritation develops or persists. Wash affected area thoroughly with soap and water.

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

---

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If inhaled, remove victim from exposure to a well-ventilated area.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this MSDS. Do not induce vomiting unless directed to do so by medical personnel. Call a physician or poison control center immediately.

**Most important symptoms/effects, acute and delayed:**

**Most important symptoms/effects (Acute):** No data available

**Most important symptoms/effects (Delayed):** Eye contact may cause burns, irritation, tearing and corneal damage.  
May cause headaches and dizziness.

**Indication of immediate medical attention and special treatment needed, if necessary:** No additional first aid information available

## 5. Fire-fighting measures

**Suitable (and unsuitable) extinguishing media:**

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Regular foam Carbon dioxide Dry chemical

**Unsuitable extinguishing media:** No data available

**Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):**

**Fire and/or Explosion Hazards:** Material may be ignited if preheated to temperatures above the flash point in the presence of a source of ignition.

**Hazardous Combustion Products:** Carbon monoxide, Carbon dioxide

**Special protective equipment and precautions for fire-fighters:** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

## 6. Accidental release measures

**Personal precautions, protective equipment, and emergency procedures:**

**Methods and materials for containment and cleaning up:**

No health effects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS  
No special spill clean-up considerations. Collect and discard in regular trash. SMALL SPILL: Contain and collect with absorbent. LARGE SPILLS: Shut off leak if safe to do so. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Prevent spilled material from contaminating soil, entering sanitary sewers, storm sewers, and drainage systems, and entering bodies of water or ditches that lead to waterways.

## 7. Handling and storage

**Precautions for safe handling:** Mildly irritating material. Avoid unnecessary exposure. Keep out of the reach of children.

**Conditions for safe storage, including any incompatibilities**

**Conditions for safe storage:** Store in a cool dry place. Isolate from incompatible materials. For maximum product quality, avoid prolonged storage at temperatures below 40°F (4°C) or above 95°F (35°C). Shelf life is one year.

**Materials to Avoid/Chemical Incompatibility:** Strong oxidizing agents

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available	No data available	No data available	No data available

**Appropriate engineering controls:** No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator comfort under normal conditions of use. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits.

**Individual protection measures, such as personal protective equipment:**

**Eye Protection:** Wear safety glasses when handling this product. Safety Glasses or goggles with splash guards or side shields.

**Skin Protection:** Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

---

**Respiratory Protection:** and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Use Nitrile/ Vinyl gloves  
No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. NIOSH respirator -(organic vapor) in absence of proper environmental control.

**Other Protective Equipment:** Safety Glasses or goggles with splash guards or side shields. Use Nitrile/ Vinyl gloves

## 9. Physical and chemical properties

**Appearance (physical state, color, etc.):**

<b>Appearance (physical state):</b>	Liquid
<b>Color:</b>	Purple
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	No data available
<b>pH:</b>	9.5 to 10.5
<b>Melting Point/Freezing Point (°C):</b>	No data available
<b>Initial Boiling Point and Boiling Range (°C):</b>	100
<b>Flash Point (°C):</b>	80
<b>Evaporation Rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper/lower flammability or explosive limits:</b>	
<b>Upper Flammable/Explosive Limit (%):</b>	No data available
<b>Lower Flammable/Explosive Limit (%):</b>	No data available
<b>Vapor Pressure:</b>	No data available
<b>Vapor Density:</b>	No data available
<b>Relative Density:</b>	1.12
<b>Solubility(ies):</b>	Will mix with water
<b>Partition coefficient: n-octanol/water:</b>	No data available
<b>Auto-ignition Temperature (°C):</b>	No data available
<b>Decomposition Temperature:</b>	No data available
<b>Viscosity:</b>	> 100 KU at 25°C

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available
<b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b>	No data available

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

<b>Incompatible materials:</b>	Strong oxidizing agents
<b>Hazardous decomposition products:</b>	Carbon dioxide Carbon monoxide

<b>11. Toxicological information</b>
--------------------------------------

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Skin contact, Eye contact, Ingestion

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**Immediate (Acute) Health Effects by Route of Exposure:**

**Inhalation Irritation:** Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache. Irritating to the nose, throat, and respiratory tract.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

**Skin Absorption:** Contact may cause irritation and possible dermatitis or sensitization.

**Eye Contact:** Can cause minor irritation, tearing and reddening. Can cause moderate irritation.

**Ingestion Irritation:** Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort. Harmful if swallowed.

**Long-Term (Chronic) Health Effects:**

**Carcinogenicity:** May cause cancer.

**Reproductive and Developmental Toxicity:** No data available to indicate product or any components present at greater than 0.1% may cause birth defects.

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Numerical measures of toxicity (such as acute toxicity estimates)**

**Component Toxicology Data**

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available	N	N	N

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** This material is not expected to be harmful to the ecology.  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data  
**Mobility in soil:** No data available  
**Other adverse effects (such as hazardous to the ozone layer):** No data available

### Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

## 13. Disposal considerations

**Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging**

**Description of waste residues:** Spent or discarded material may be a hazardous waste.

**Safe Handling of Waste:** Disposal must be in accordance with applicable Federal, State/Provincial and Local regulations.

**Waste treatment methods (including packaging):** Dispose of by incineration following Federal, State, Local, or Provincial regulations.

## 14. Transport information

**UN number:** No data available

**UN proper shipping name:** Not Regulated

**Transport hazard class(es):** No data available

**Packing group:** No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

# Safety Data Sheet

Product Name: XP MAGIC CUT 320Z

Product identifier: 99-QT

Revision Date: 08-19-2016

Replaces:

## 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

**TSCA Status:** All chemicals in this product are listed, or are exempt from listing on the TSCA Inventory.

### Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available		N	N	N	N

## 16. Other information, including date of preparation or last revision.

**Revision Date:** 08-19-2016

**Revision Number:** 9

**Disclaimer:** NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances